

Item number	Item description
1	IBM switch mode power supply - new in original box - 240 Vac to 12 Vdc - Possibly 20 Amp
2	Plastic case c/w cooling fan, power switch, 2x DB25 connectors, IDC40 connector, cable and carry handle (cream)
3	5.25" drive and interconnection cable with metal case with rubber feet (same as above)
4	Disk drive controller card
5	Box of assorted boot ROMs and four (4) network cards
6	Cassette tape deck, mono head with counter, spare heads, belts, ferrite cube cores and plastic parts, without motor.
7	Cassette tape deck, mono head with counter, spare heads, belts, ferrite cube cores and plastic parts, with motor.
8	Assorted printed wiring boards
9	ETI 454 printed wiring board for fuzz sustain box, normally \$13.20; see 1980 April ETi
10	Power supply (small)
11	Push on - push off switches and knobs
12	Rocker switch 2 A 250 Vac single pole double throw
13	Rocker switch 2 A 250 Vac 4 pole double throw centre off
14	Toggle switch C&K-style 1.5 A 250 Vac PCB-mount single pole double throw centre off
15	Rocker switch double pole single throw
16	Push button switch momentary single pole
17	Bag assorted potentiometers and knobs
18	Bags assorted Soanar dual potentiometers 100 k Ohms Log A
19	Slider potentiometers 100 k Ohms C law, 50 mm travel
20	C13 volt 2 watt Zener diode - good for over-Voltage sensing for 12 V gear
21	2N3055 NPN power transistor 115 W 100 V 15 A hfe min 20 TO-3
22	BD139 NPN power transistor 8 W 80 V 1.5 A hfe min 63 TO-220

23	BD140 PNP power transistor 8 W 80 V 1.5 A hfe min 63 TO-220
24	MJE2955T PNP power transistor 75 W 70 V 10 A hfe min 20 TO-220
25	MJE3055T NPN power transistor 75 W 70 V 10 A hfe min 20 TO-220
26	LM350T variable +ve regulator - 3 terminal 3 A TO-220
27	Bag 2.1 / 2.5 mm power plugs
28	10,000 uF 100 Vdc electrolytic capacitor
29	LM317T variable +ve regulator - 3 terminal 1.5 A TO-220
30	MJ15004 PNP power transistor 250 W 140 V 20 A hfe min 25 TO-3
31	10 Ohm 5 W resistor
32	Trim pots 2k, 5k, 10k, 50k, 100k
33	Single pole double throw PCB-mount switch
34	7915 -ve regulator TO-3
35	7815 +ve regulator TO-3
36	2SK700 N-type power MOS Field Effect Transistor 15 W 80 V 2 A TO-220
37	Rocker switches 2 A 250 Vac double pole double throw and mounting hardware
38	IN5408 1000 PIV 3 A 5us diode
39	Bag RCA connectors
40	DB25 PCB-mount right angle gold plated male connectors
41	Bag assorted TO-3 package transistors and regulators (approx 30)
42	4k7 Ohm 1 W resistor
43	100 Ohm 1 W resistor
44	5k6 Ohm 1 W resistor
45	Bag mixed resistors 1 and 2 W
46	Iron / powder core choke approx 200 uH Q=9 @ 1 kHz 0.7 mm wire
47	Pack of approx 50 assorted electrolytic capacitors 1 to 2200 uF

48	Pack of power supply parts including power diodes, electrolytic capacitors, pass transistors and heat sinks
49	Recorded Voice Announcement modules (digital) fitted with +/- 5 V regulators, 74HC series ICs, 5 V relays, 32 pin EPROM chips.
50	Pack of approx 50 Zener diodes and LEDs
51	Pack of approx 50 assorted Green Cap capacitors
52	Pack of approx 70 assorted 250 V polyester capacitors
53	Pack of approx 50 silicon diodes 400 PIV
54	Pack of approx 30 2 W 30 V Zener diodes
55	Pack of approx 40 assorted single and dual potentiometers and trim pots, up to 500 k Ohm.
56	Assorted audio packs - LSIC hybrid mono audio amplifier, high power resistors, large electrolytic capacitors, bridge rectifier, switch, potentiometers and knobs.
57	Pack of approx 100 assorted tantalum capacitors
58	Pack of assorted power supply components, electrolytic capacitors, diodes, switch, bridge rectifier, RCA connectors.
59	Plug Pack 240 Vac to 9 Vdc 200 mA - Brand new
60	Hewlett Packard 5245L frequency counter - to 50 MHz - GWO - see item 63
61	Hewlett Packard 5251A converter - extends 5245L by 100 MHz - GWO
62	Hewlett Packard 5253B converter - extends 5245L by 500 MHz - GWO - in original box - see item 64
63	Copy of Hewlett Packard 5245L operating and service manual, in 3-ring binder
64	Hewlett Packard 5253B converter operating and service manual
65	Hewlett Packard 608D signal generator - runs to 420 MHz - attenuator needs attention; otherwise GWO - see items 66 and 67
66	Handbook NAVWEPS 16-30USM44-501 Operating instructions for the HP 608D signal generator - in original clear wrap
67	Copy of Hewlett Packard 608D operating and service manual, comb bound
68	VHF RF amplifier - probably 2 m 12 Vdc; has the hard-to-find power cord; professional strip-line design - needs TLC
69	VHF RF amplifier - 2 m 12 Vdc 1 W in → 30 W out - circuit traced out but untested
70	VHF RF amplifier - probably 6 m 12 Vdc - could be 60 W O/P - circuit traced out but untested
71	Motorola d560 mobile phones with pouches; one has blocked SIM card; 1x wall charger, 1x antenna adapter; 1x new battery

72	NEC mobile phone - for experimentation only
73	Nokia mobile phone - for experimentation only
74	12 Vdc car polisher, with head but no polishing muff
75	Box of Microsoft operating system CDs and manuals - MSW 95, MSW 98 2e, MSW Me; Netscape and Epson manuals – see item 118
76	GE HTs single and three-channel, +battery chargers, belt pouches and whip antennas - appear UHF
77	RCA-branded Shure desk microphones with desk stand and PTT switch
78	Raytheon modem isolator PAS 2115
79	STC loudspeaker for 2-way radio
80	Microwave Developments UHF power meter 2x N-cons, 50 Ohm, 50 W fwd, 7W5 rev
81	Microwave Developments hi-band and lo-band dual power meter 4x N-cons, 50 Ohm, 75 W fwd
82	Microwave Developments UHF CB field strength meter made for Philips, one BNC connector
83	Break-out box + Plessey PTT microphone; bench test set
84	In-line TV masthead amplifier wall power supply and injector, F connectors, 10 to 1000 MHz
85	Data I/C - Plessey modular with 2x LM1458, one MC14001 and one MC14016 Ics
86	NRMA control heads - 2x 12 Vdc DPDT DIL relays
87	Home Guardian wireless security systems for room with single door and window, eg, radio shack ; needs 12 Vdc PSU
88	Bags assorted 125 V polystyrene capacitors - 10 to 390 pF
89	Bags assorted 400 V epoxy capacitors 10 to 1000 pF
90	Bags 50x assorted 100 Vdc Greencaps 1 to 100 nF
91	Heatsinks, mostly for TO-3 transistors, used
92	Playmaster - now there's a name to conjure with - cassette recorder; comes with 'benefits'
93	Bags 30x 6-pin DIL sockets, eg, for opto-isolators like 3N25s
94	Bags 20x 14-pin DIL sockets
95	Bags 20x 16-pin DIL sockets - one bag has 19 sockets
96	Bag 2 male D25 and 2 female D25 pwb-mount connectors

97	Bags 20x TO-5 and 40x TO-18 transistor mounts
98	Bags 20x BFY51 NPN transistors 0W8 60 V 1 A 100MHz TO-5
99	Bag 4x 1" square 2-pin devices - magical mystery?
100	Bag 2x 4 uF 500 Vac motor start capacitors
101	Bag male pwb headers and cables with female connectors
102	T-piece PL-259 to 2x SO-239
103	3-level fan heater switch 250 Vac 16 A, made in Germany
104	Teac 3-way 8 Ohm speakers in slightly shabby cabinets - otherwise GWO
105	Dynaco 2-way 8 Ohm speakers in cabinets - in GWO
106	EMI 8" x 5" 8 Ohm speakers in cabinets - in GWO
107	12 Vdc regulated PSU or battery charger [ex VK2AGB] - circuit included
108	Music master 600 Ohm headphone sets with soft earmuffs, cord and 1/4" mono plug
109	HF antenna analyser pwbs for SGARS kit - ask VK2GCE for assembly instructions
110	CRO #1 5 MHz? - in GWO
111	CRO #2 5 MHz? - in GWO
112	Audio Sig Gen - in GWO
113	Marine VHF - condition unknown
114	Scanner - condition unknown
115	Box for VK2GCE to buy - condition unknown
116	Motorola power supply - condition unknown
117	Sony ICF-7600D portable receiver covers from LF to 30 MHz and the FM broadcast band. PLL and BFO for SSB - in GWO
118	Mini-tower PC with MSW Me OS, CD RW, FDD, NIC, 196 MB RAM - in GWO – see item 75
119	Realistic portable AM FM radio - in GWO